CENTRAL CALIFORNIA EMERGENCY MEDICAL SERVICES

A Division of the Fresno County Department of Public Health

Manual		Policy
	Emergency Medical Services	Number 530.26
	Administrative Policies and Procedures	
Subject		Page 1 of 2
	Paramedic Treatment Protocols	
	SNAKEBITE	
References		Effective
	Title 22, Division 9, Chapter 4	Fresno County:
	of the California Code of Regulations	01/15/82
		Kings County: 04/10/89
		Madera County:
		06/15/85
		Tulare County:
		04/19/05

STANDING ORDERS				
1. Assessment	ABCs			
2. Secure Airway	Protect with position, basic airway maneuvers, pharyngeal airway, advanced airway if indicated, assist respirations as needed, suction as needed.			
3. Oxygen	Low flow High flow if patient is in shock. Refer to EMS Policy #530.02.			
4. Transport	Minimize on scene time.			
5. Remove rings, jewelry, clothing	Remove constricting items around area of bite. Mark edge of area of swelling with pen line and record time. Measure circumference of bite site and record measurement. Repeat measurements every 15 minutes.			
6. Immobilize Extremity	Immobilize at or above the level of the heart. Do not apply a tourniquet.			
7. IV Access	LR TKO – Standard Tubing			
8. Contact Hospital	Per EMS Policy #530.02.			

SPECIAL CONSIDERATION AND PRIORITIES

- 1. Assessment Mental status, vital signs, location, and appearance of wound site. Type of snake?
- 2. Reassure patient Mortality from snakebites is rare, particularly in young, healthy patients. Many bites are "dry bites" with no venom injected.
- 3. The most effective field management of envenomation is rapid transport to the emergency department so that intravenous anti-venom can be administered. Transport lights/siren (code 3) for patients in shock, decreased mental status, airway compromise, uncontrolled bleeding or with other severe injuries. Code 2 transport for patients with stable vital signs without immediate life threat.

Approved By		Revision
	Daniel J. Lynch	
EMS Division Manager	(Signature on File at EMS Agency)	DRAFT
	Miranda Lewis, M.D.	
EMS Medical Director	(Signature on File at EMS Agency)	

Subject		Policy
P	aramedic Treatment Protocols – Snakebite	Number 530.26

- 4. Do not allow the application of ice or cooling. Do not allow incision of the wound. Do not apply a tourniquet.
- 5. If snake was an exotic pet or zoo animal (e.g., coral snake, cobra, krait, or Mojave rattlesnake), neurologic or respiratory depression may precede local reaction. Observe for mental status change, respiratory depression, convulsions, or paralysis. Some individuals who keep exotic snakes as pets have a personal supply of antivenom. If available, bring this to the hospital with the patient.
- 6. EMS personnel should try to ascertain the type of snake if possible and if time allows; however, do not transport or bring the snake to the hospital.